

SUPPLEMENT TO

The Gazette



of India

No. 34]

NEW DELHI, SATURDAY, AUGUST 20, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts of India and some of the Indian States during the week ending the 16th July 1949

	CHOLERA						SMALLPOX						PLAQUE						
	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	C	D	
INDIA																			Bombay—contd.
Madras																			
Vizagapatam	7													
Chiccoole	6	2													
East Godavari	367	182	14	3													
West Godavari	109	56	9	1													
Kistna	21	12	48	6													
Guntur	3	1	96	19													
Jellore	5	2	40	7													
Cuddapah	14	2													
Kurnool	9	3	22	5													
Bellary	7	1													
Anantapur	80	5													
Madras	16	1	17	5													
Chingleput	40	12	7													
Chittoor	27	6	1													
North Arcot	83	34	25	4													
Salem	14	8	7													
Coimbatore	7	3	4	1													
South Arcot	8	3	1	1													
Tanjore	2													
Trichinopoly	1	2													
Madura													
Tamnad													
Tinnevelly													
Nilgiris	1	...													
Malabar	1													
South Kanara	4													
Total	708	323	358	64	1	..													
(Estd. mid-year pop. 52,929 thousands)																			
Total for w/e 9-7-49	300	113	270	47													
Total for w/e 2-7-49 7-yearly mean for the week	190	94	393	70	2	...													
	576	281	300	68	18	6													
Bombay																			
Bombay	1	...	12	5													
Ahmedabad													
Kaira	11	8													
Broach	1	2													
Janch Mahals													
Surat	1													
Thana	26	11													
Bombay Suburban													
Ahmednagar	5	3	7	1	1	..													
Total	125	34	43	...															
(Estd. mid-year pop. 22,669 thousands)																			
Total for w/e 9-7-49	106	26	19	10	9	...													
Total for w/e 2-7-49 7-yearly mean for the week	87	22	29	14	13	1	...												
	334	158	46	22													

Explanation of the symbols used :—C=Cases ; D=Death ,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 16th July 1949—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D	O	D			
United Provinces												Punjab, East													
Dehra Dun	•	2	Hissar	•	7	2				
Saharanpur	•	6	Rohtak	•	1	1				
Muzaffarnagar	•	1	1	Gurgaon	•				
Meerut	•	1	...	1	Karnal	•	2	2				
Bulandshahr	•	10	4	Ambala	•	1				
Aldigarh	•	6	2	2	Simla	•				
Mathura	•	Kangra	•	1	...	1				
Agra	•	1	Hoshiarpur	•				
Mainpuri	•	Jullundur	•				
Etah	•	Ludhiana	•				
Bareilly	•	Ferozepore	•				
Bijnor	•	16	1	Amritsar	•	3	2	...	2				
Budaun	•	Gurdaspur	•				
Moradabad	•	1	1	Total	•	5	3	11	6				
Shahjahanpur	•	1	(Estd. mid-year pop. 14,690 thousands)																
Pilibhit	•	Total for w/e 9-7-49	30	19	4	1				
Farrukhabad	•	Total for w/e 2-7-49	20	13	26	4				
Etawah	•	10	4	7-yearly mean for the week	29	17	10	8				
Kanpur	•	34	14	1	Bihar																
Patehpur	•	3	1	Patna	•	21	8				
Allahabad	•	13	10	Gaya	•	18	6				
Jhansi	•	1	1	Shahabad	•	2	1	24	2				
Jalaun	•	22	7	Saran	•	14	7	3				
Hamirpur	•	5	3	Champaran	•	8	2				
Banda	•	23	9	Mazaffarpur	•				
Banaras	•	2	1	4	1	Darbhanga	•	2	2	...				
Mirzapur	•	7	3	Monghyr	•	13	6	...				
Jaunpur	•	18	12	5	Bhagalpur	•	7				
Ghazipur	•	Saharsa	•				
Ballia	•	13	4	Purnea	•				
Gorakhpur	•	Santal Parganas	•	8	2				
Deoria	•	4	2	Hazaribagh	•	8	1	10	3				
Basti	•	Ranchi	•	20	9				
Azamgarh	•	Manbhum	•	13	11	3	1				
Nainital	•	Palamu	•	19	...	2				
Almora	•	7	2	1	Singhbhum	•	10	3				
Garhwal	•	4	4	Total	•	123	48	57	8	15	8				
Lucknow	•	18	3	6	4	(Estd. mid-year pop. 37,690 thousands)																
Unao	•	12	4	Total for w/e 9-7-49	115	56	17	7				
Rae Bareli	•	15	6	Total for w/e 2-7-49	165	62	122	17	14	1				
Sitapur	•	7-yearly mean for the week	774	377	96	20				
Hardoi	•	Total for w/e 2-7-49	1,029	486	154	44	1				
Kheri	•	4	1	Explanation of symbols used :— O=Cases ; D=Deaths.																
Fyzabad	•	1	5																	
Gonda	•																	
Bahraich	•																	
Sultanpur	•																	
Partabgarh	•	3	1																	
Bara Banki	•																	

Explanation of symbols used :— O=Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 16th July 1949—contd.

	CHOLERA			SMALLPOX			PLAQUE				CHOLERA			SMALLPOX			PLAQUE		
	C	D	C	D	C	D	C	D		C	D	C	D	C	D	C	D		
Central Provinces																			
Orissa																			
Jagpur	Cuttack	.	.	9	6	12	5		
Vardha	Balasore	1		
Jhanda	2	Puri	.	.	18	12		
Jhhindwara	Sambalpur	.	.	130	92		
Itul	Khondmals	9		
handara	11	Ganjam Plains	.	.	6	4		
ubbulpore	3	Ganjam Agency		
augor	56	24	Koraput	.	.	0	3		
Landia	14	4	Keonjhar		
oshangabad	22	11	Dhenkanal	21	7		
Tumar	Bolangir-Patna	34	28	5		
Alaghpat	Sundergarh		
Alipur	Phulbani		
Iiaspur	2	Angul		
Bug	8	5	Mayurbhanj	5	2		
Kastar	53	27	Total	208	147	48	12		
urguja	(Estd. mid-year pop. 7,897 thousand)										
Aigarh	20	16	Total for w/e 9-7-49	178	121	43	11		
Mraoti	2	Total for w/e 2-7-49	65	42	93	18		
Eotmal	7-yearly mean for the week	300	146	104	28		
La	Total	2	1		
Uldana	1	1	(Estd. mid-year pop. 240 thousands)										
Total	162	84	32	4	Total for w/e 9-7-49	5	2		
std. mid-year pop. 17,066 thousands)									Total for w/e 2-7-49	1	1		
Total for w/e 9-7-49	196	120	30	16	7-yearly mean for the week		
Total for w/e 2-7-49	200	80	69	9	2	1	Total	2		
yearly mean for the week	227	134	117	20	(Estd. mid-year pop. 831 thousands)										
Assam								...	Total for w/e 9-7-49	2	1	4		
Sohar	Total for w/e 2-7-49	8	2		
Khasi & Jaintia Hills	3-yearly average for the week	11	6	1		
Agartala Hills	Total	1		
Shillong Hills	(Estd. mid-year pop. 173 thousands)										
Salpore	2	1	Total for w/e 9-7-49	25	13		
Amravati	Total for w/e 2-7-49	15	4		
Arrang	7-yearly mean for the week	8		
Owgong	Delhi City	5	...	10	5		
Sagar	New Delhi	2		
Khimpur	Delhi Notified Area	...	8		
Tidiya & Frontier Tracts	1	Rural Circles	4		
Koro Hills	Total	11	8	10	5		
Total	3	1	(Estd. mid-year pop. 1,274 thousands)										
std. mid-year pop. 7,011 thousands)								...	Total for w/e 9-7-49	3	...	16	8		
Total for w/e 9-7-49	42	38	Total for w/e 2-7-49	2	1	23	9		
7-yearly mean for the week	46	26	54	11	7-yearly mean for the week	2	1		
Total for w/e 2-7-49	5	27	Grand total for provinces	1,770	832	725	171	35	11	...			
7-yearly mean for the week	48	26	54	11	(Estd. mid-year pop. 245,482 thousands)										
Total for w/e 9-7-49	5	27	Total for 9-7-49	1,426	744	761	186	87	16	...			
Total for w/e 2-7-49	5	27	Total for w/e 9-7-49	1,460	659	1,154	249	42	14	...			
7-yearly mean for the week	48	26	54	11	7-yearly mean for the week	4,945	2,445	963	232	49	19	...			

Explanation of the symbols used :—C=Cases ; D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 16th July 1949—concl'd.

	CHOLERA			SMALLPOX			PLAQUE				CHOLERA			SMALLPOX			PLAQUE		
	C	D	C	D	C	D	C	D		C	D	C	D	C	D	C	D		
UNIONS & STATES																			
Madhya Bharat																			
Bhind	4	2	2	1	Kathua	1		
Mandsaur	Total	1		
Total	4	2	2	1											
Rajasthan																			
Jaipur	1	Bangalore	8	2	12		
Jodhpur	Chitaldrug	18	1	..		
Total	1	Hassan	6	2	3		
Saurashtra																			
Halar	11	5	Kolar	3	1		
Madhya Saurashtra	1	1	2	Mandya	1		
Sorath	1	Mysore	8	5	9	1	12	1		
Zalawad	2	Shimoga	4	..	2		
Total	1	1	16	5	Tumkur	10	6	1		
Assam States																			
Cooch Behar State	11	7	Total		
Manipur State	6	2											
Total	17	9											
Cochin State																			
Total	2	Grand Total for Unions & States	86	45	102	31	113	..		
Hyderabad State																			
Aurangabad	34	20	Grand Total for Provinces, Unions and States	1,865	877	827	202	148	6	..			
Nanded	1	1	1											
Parbhani											
Bhir	12	3											
Raichur	9	3	3	1											
Bidar	19	3											
Osmanabad	2	1	11	4											
Warangal	7	4	7	2											
Nizamabad											
Medak											
Nalgonda	27	7											
Mahbubnagar	2	2											
Hyderabad	2	..	1	20	15	..											
Total	55	28	41	13	64	25			Total	16		

Explanation of the symbols used :—C=Cases ; D=Deaths.

NEW DELHI 3 (INDIA); }
The 8th August 1949. }

S. P. JAIN,

for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the National Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 16th July 1949.

Deaths from :—

Town	Mid. 1949 Popn-Est. (000)	B	B.R.*	C.	S	P.	F.	D.D.	R.D.	Total	D.R.*
A.—INDIA											
Madras											
Adoni	85	37	54.3	7	21	36.7	
Ambur	88	28	38.4	I	4	1	3	11	15.1
Aruppukottai	96	36	52.1	6	1	2	19	27.5
Bellary	63	28	23.0	2	2	7	35	28.8
Cannanore	35	19	28.1	2	6	16	23.7
Coimbatore	160	149	48.5	..	2	..	4	6	18	87	28.3
Cuddalore	62	59	49.5	2	5	1	31	26.0
Dindigul	67	54	42.0	3	15	11.7
Eluru	71	85	62.1	..	1	..	7	4	2	39	28.5
Erode	44	43	50.4	1	2	1	17	19.9
Gudiyattam	89	27	35.7	6	2	16	21.2
Guntur †											
Kakinada †											
Kancheepuram	82	76	47.9	3	4	10	41	25.9
Kozhikode	149	143	49.9	6	2	14	79	27.2
Kumbakonam	71	54	39.6	1	3	19	13.9
Kurnool	54	46	44.7	2	2	21	20.5
Madras	998	833	43.4	1	5	..	49	97	232	714	37.2
Mangalore	93	77	43.1	3	4	16	62	34.7
Marupatram	61	49	41.8	..	1	..	4	2	2	21	17.9
Methurai	287	301	54.6	17	16	37	150	28.3
Mayuram †											
Melepalayam	82	12	7.8	4	1	..	19	11.5
Negapatinam	57	22	20.2	1	1	1	17	15.6
Nellore	65	71	56.8	2	9	8	57	45.6
Palamcottah	34	21	32.6	1	1	2	11	17.1
Palghat	60	36	31.1	..	1	..	1	3	2	28	24.2
Rajahmundry	84	67	41.6	..	1	..	1	4	2	38	23.6
Rajapalayam	53	21	20.8	3	5	5	20	28.7
Salem	153	122	41.6	8	3	2	9	51	17.4
Srivilliputtur	87	25	35.6	1	4	4	32	45.6
Tanjore	70	66	48.9	1	10	34	26.2
Tellicherry	41	26	32.7	3	2	4	18	22.7
Tenali	46	27	31.0	5	2	7	23	28.4
Tiruchirappalli	174	133	39.9	3	11	43	12.9
Tirumelvelli	64	47	38.4	5	5	21	17.2
Tiruppur	46	64	72.9	2	16	18.2
Tiruvannamalai	38	47	62.6	3	1	3	11	13.9
Tuticorin	88	49	28.8	2	8	28	16.5
Vainiyambadi	98	26	85.4	1	6	13	17.7
Vellore	83	79	49.3	..	1	..	2	3	3	36	32.5
Vijayavada	108	67	32.4	5	1	..	22	10.6
Virudunagar	36	32	46.5	2	1	2	17	24.7
Vizagapatam†	58	40	36.1	3	8	3	28	25.3
Vizianagram											
TOTAL	3,910	3,244	43.1	5	12	..	148	214	465	2,014	26.8

*In cases of towns where there have been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—

B=Births; B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fevers; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory diseases; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 16th July 1949—*contd.*

Deaths from :—

Town	Mid-1949 Popn-Est. (000)	B.	B.R.*	C	S	P	F	D.D.	R.D.	Total	D.R.*
A.—INDIA—<i>contd.</i>											
Bombay											
Ahmedabad	826	572	36·0	122	10	28	248	15·6
Ahmednagar	64	52	42·0	1	4	1	7	31	25·0
Amalner	44	24	28·4	5	...	1	7	8·3
Bandra	97	70	34·7	3	3	0	38	20·3
Baroda city	184	146	41·4	28	2	9	65	17·0
Barsi	41	17	21·6	5	1	1	16	20·4
Belgaum	75	53	36·7	5	2	2	24	16·6
Bhusawal	43	29	34·8	6	1	1	13	15·6
Bijapur	57	29	26·6	1	1	13	11·9
Bombay	1,764	1,002	31·3	...	5	...	43	44	197	802	23·6
Broach	74	56	39·5	7	1	2	22	15·5
Dharwar	54	21	20·3	2	11	10·6
Dhulia	65	33	20·5	18	...	1	17	14·5
Gadag Petgeri	65	29	23·2	7	3	4	20	23·2
Godhra	48	21	22·9	8	8	8·7
Hubli	106	74	36·5	3	2	4	18	8·9
Jalgoan	61	52	44·7	8	3	0	30	25·8
Kalyan †											
Kolhapur	106	80	39·1	9	3	10	47	23·0
Kurla	46	36	40·4	8	...	5	22	24·7
Malegaon	40	21	24·8	6	16	12	5	41	53·3
Nanded	56	51	46·9	21	...	2	37	34·1
Nasik	58	40	35·9	16	3	5	36	32·3
Navsari city	45	32	37·3	9	12	13·0
Pandharpur	87	13	18·5	1	7	3	3	24	34·1
Parle-Andheri	56	20	18·5	...	1	...	1	...	2	8	7·4
Patan City	42	50	61·6	10	14	17·2
Poona	807	212	35·9	...	2	...	14	14	25	112	19·0
Setara	40	13	17·1	8	2	...	18	23·2
Sholapur	260	156	31·1	3	9	35	112	22·4
Surat	282	163	36·6	20	8	11	74	16·6
TOTAL	4,993	8,827	33·6	7	8	1	402	128	381	1,049	20·3
Bengal, West											
Asansol †											
Bally	67	11	8·5	1	2	2	7	5·4
Bankura †											
Barenagar	69	23	17·4	4	8	1	21	15·9
Berhampur	53	6	5·9	6	2	3	16	15·6
Bhatpara	144	30	10·9	13	4	1	57	20·7
Budge-Budge	39	11	7·0	2	5	...	8	10·6
Burdwan	82	11	7·0	1	1	2	7	4·4
Calcutta	2,896	829	14·9	11	...	1	60	79	142	662	11·9
Champdani	37	12	16·8	2	4	5·6
Garden-Reach	110	10	4·8	1	2	...	4	1·0
Hooghly-Chinsura	63	41	34·0	6	3	...	22	18·3
Howrah	508	92	9·4	3	4	...	21	37	28	103	16·7
Kamarhati	53	13	12·9	1	...	4	4·0
Krishnagar	38	2	2·7	1	4	5·4
Midnapur	62	19	18·9	3	1	1	16	15·0
Nabadwip	40	12	15·5	2	3	1	2	10	12·0
Naihati	52	6	6·1	2	...	4	9	9·1
Serampur	69	28	21·2	3	5	1	21	15·9
South Suburban †											
Titagarh	64	25	20·4	2	19	22	17·9
Tollyganj	87	6	3·6	1	0·6
TOTAL	4,523	1,176	13·5	18	4	1	187	151	187	1,058	12·2

Explanation of symbols used :—

B = Births ; B. R. = Birth rate ; C = Cholera ; S = Smallpox ; P = Plague ; F = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory diseases ; D. R. = Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 16th July 1949—contd.

Deaths from :—

Town	Mid-1949 Popn-Est. (000)	B	B.R.*	C	S	P	F	D.D.	R.D.	Total	D.R.**
A—INDIA—contd.											
United Provinces											
Agra	301	302	52.4	..	1	..	3	24	89	211	36.6
Allahabad	307	105	17.9	3	3	32	63	10.7
Amroha	65	53	42.4	7	3	3	21	16.8
Braich	45	18	20.8	5	9	10.4
Balrampur	49	27	40.5	5	1	1	10	17.2
Banaras	301	179	31.0	..	1	..	96	10	20	185	32.0
Bareilly	219	143	34.0	33	12	26	89	21.2
Budaun	58	39	35.3	8	1	4	15	13.6
Dehra Dun	71	43	31.5	9	..	4	22	16.1
Betawah	58	57	51.0	12	3	8	30	26.0
Fajzabad-Ajodhya	55	35	33.1	9	1	4	17	16.1
Farrukhabad-Fatehgarh	62	39	32.7	21	3	4	44	36.9
Ferozabad	84	15	14.6	9	..	1	16	15.5
Ghazipur	35	10	28.7	7	..	1	12	18.1
Corakhpur	106	51	25.2	13	7	4	82	15.8
Hapur	41	24	30.6	8	1	2	11	14.0
Hardwar-Union	47	31	34.3	..	2	..	15	..	6	27	29.9
Hathras	53	57	56.1	10	1	7	36	35.4
Jaunpur	51	30	30.8	7	1	2	17	17.4
Jhansi	85	47	28.9	31	..	1	38	23.4
Kanpur	630	265	21.9	2	103	32	33	264	21.8
Khurja	39	32	43.0	3	14	18.8
Koil-Aligarh	137	63	24.0	12	..	2	23	8.8
Lucknow	443	318	37.4	..	8	..	61	8	37	194	22.8
Mathura	90	61	35.3	18	5	10	49	28.3
Meerut	139	117	43.9	24	2	18	64	24.0
Mirzapur-Vindhya	79	50	33.0	14	2	3	29	19.1
Moradabad	169	95	20.3	3	13	27	90	27.8
Muzaffarnagar	56	32	29.7	..	1	..	9	..	1	17	15.8
Pilibhit	51	39	39.7	15	1	4	35	35.6
Saharanpur	128	113	46.0	32	3	5	59	24.0
Sambhal	62	45	37.9	..	8	..	13	2	2	28	23.0
Shahjahanpur	128	54	22.0	30	2	3	57	23.2
Sitapur	85	18	26.7	..	4	..	10	..	1	17	25.3
TOTAL	1,249	2,616	32.0	2	25	..	967	141	365	1,845	22.6
Punjab, East											
Ambala	51	31	31.4	4	5	5.1
Amritsar	495	134	14.1	13	9	25	114	12.0
Batala	64	28	27.1	8	17	16.5
Bhiwani	51	46	47.4	..	1	..	6	12	12.4
Fazilka	36	17	24.3	2	4	5.7	..
Ferozepore	47	20	32.3	1	1	4	9	10.0
Hissar	31	24	39.7	8	12	10.9
Hoshiarpur	43	20	24.5	3	..	1	6	7.4
Jullundur	142	97	35.7	10	..	2	14	5.2
Karnal	46	30	33.7	3	..	1	7	7.9
Ludhiana	148	79	27.9	6	..	2	17	6.0
Moga	36	18	25.9	1	2	2.9
Panipat	42	10	12.4	4	1	..	6	7.5
Rewari	34	16	24.3	2	2	2	10	15.2
Rohtak	59	26	23.0	3	5	4.4
TOTAL	1,315	605	23.9	..	1	..	72	13	39	240	9.5

Explanation of symbols used :—

B.—Births ; B. R.—Birth rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory diseases ; D. R.—Death rate.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 16th July 1949—*contd.*

Deaths from :—

Town	Mid-1949 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	Total	D.R.*
A.—INDIA—concl'd.											
Return not received											
Bihar											
Central Provinces											
Akola	75	62	43·0	10	4	2	31	21·5
Amravati	75	52	36·3	8	..	2	25	17·4
Bilaspur	43	27	33·0	4	..	2	15	18·9
Burhanpur	62	48	40·1	5	4	1	21	17·5
Chanda	42	24	29·7	0	5	1	12	14·8
Damoh †											
Ellichpur	34	12	18·4	8	1	..	18	20·0
Hinganghat	33	14	22·3	1	1	1	10	16·0
Jubbulpore	170	117	35·8	..	6	..	21	8	16	61	18·6
Khandwa	42	26	32·4	5	4	2	22	27·4
Nagpur	293	158	30·1	59	13	24	116	23·1
Nagpur Civil Station	82	74	47·2	12	1	1	16	10·2
Rajpur †											
Saugor †											
Wardha	36	18	26·2	1	2	..	5	7·3
Yeotmal	31	24	40·0	3	1	..	7	11·7
TOTAL	1,018	656	33·5	..	6	..	137	44	52	354	18·1
Orissa											
Berhampur	48	58	62·1	5	3	..	20	21·4
Outtack	82	66	42·6	10	4	1	44	28·2
Puri	44	14	16·7	4	6	2	28	33·3
TOTAL	174	138	41·2	19	13	3	92	27·5
Ajmer-Merwara											
Ajmer	170	87	26·6	13	4	5	38	11·6
Beawar	44	27	32·1	..	1	..	8	1	1	15	17·8
TOTAL	214	114	27·7	..	1	..	21	6	6	53	12·9
Delhi											
Delhi city	667	427	33·3	..	5	..	91	10	19	158	12·3
New Delhi	118	183	87·8	1	4	37	16·3
TOTAL	785	610	40·4	..	5	..	91	11	23	195	12·9
(B) UNIONS AND STATES											
Patiala and East Punjab States											
Patiala	82	51	32·3	8	1	2	20	12·6
Rajasthan Union											
Bikaner †											
Jaipur	198	108	28·3	35	5	5	78	20·4
Jodhpur	154	2	0·7	2	8	2·7
Udaipur	71	13	0·5	3	8	5·9
TOTAL	423	123	15·1	88	5	7	94	11·6
Gaurashtra Union											
Jamnagar †											
Junagadh	73	26	17·8	16	..	1	28	19·0
Porbandar	61	39	33·2	8	1	..	25	22·2
TOTAL	134	64	24·8	24	1	1	53	20·6

Explanation of symbols used :—

B=Births ; B.R.= Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D.D.= Dysentery and Diarrhoea ; R.D.= Respiratory Diseases ; D.R.= Death rate.

†Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 16th July 1949—concl.

Deaths from :—**Town**

Mid-1949
popn-Est.
(000)

	B	B. R.*	C	S	P	F	D. D.	R. D.	Total	D.R.*

B —UNIONS AND STATES —contd.**Cochin State**

Ernakulam	.	55	33	31·1	1	1	..	9	8·5
Mattancheri	.	65	74	59·6	5	2	1	17	13·7
Trichur	.	67	37	28·6	5	2	5	19	14·7
TOTAL	.	187	144	40·0	11	5	6	45	12·5

Mysore State

Bangalore City	.	312	257	42·9	..	1	..	4	24	23	143	23·9
Kolar Gold Fields	.	174	69	28·9	..	1	..	2	5	2	27	11·3
Mysore City	.	187	136	37·4	2	5	..	45	12·5
TOTAL	.	673	462	35·7	..	2	..	8	34	25	215	16·6

Bombay*For w/e***ARREAR RETURNS**

Sholapur	.	9-7-49	260	121	24·2	13	4	38	84	16·8
----------	---	--------	-----	-----	------	----	----	----	----	---	----	----	------

Bengal, West

Asansol	.	8-1-49	78	13	8·9	1	2	9	6·2
"	.	15-1-49	78	8	5·5	2	1·4
"	.	22-1-49	78	4	2·7	1	0·7
"	.	29-1-49	78	1	3·7
"	.	5-2-49	78	2	1·4
"	.	12-2-49	78	5	3·4	1	3	1	8	5·5
"	.	19-2-49	78	6	4·1	4	2·7
"	.	26-2-49	78	3	2·1	5	3·4
"	.	5-3-49	78	4	2·7	1	0·7
"	.	12-3-49	78	5	3·4	1	..	3	2·1
"	.	19-3-49	78	3	2·1	2	1·4
"	.	26-3-49	78	4	2·7	1	6	4·1
Kamarhati	.	5-3-49	53	11	10·9	1	2	2·0
"	.	11-6-49	53	9	8·9	2	5	4·9
Budge-Budge	.	22-1-49	39	5	6·0	2	5	1	9	12·0
South Suburban	.	30-4-49	83	29	18·1	3	4	3	3	19	11·9
"	.	7-5-49	83	13	8·1	9	4	5	3	24	15·0
"	.	14-5-49	83	15	9·4	4	2	3	1	16	10·0
"	.	21-5-49	83	13	8·1	3	3	3	16	10·0
"	.	28-5-49	83	22	13·7	3	5	3	17	10·6
"	.	4-6-49	83	5	3·1	3	2	1	16	10·0
"	.	11-6-49	83	11	6·9	3	2	1	10	6·2
"	.	18-6-49	83	23	14·4	1	1	1	4	18	11·2
"	.	25-6-49	83	12	7·5	1	6	4	2	19	11·9
Bally	.	18-6-49	67	8	6·2	1	1	..	2	1·6
Baranagar	.	"	69	22	16·6	1	4	3	2	18	13·6

C. P.

Burhanpur	.	14-5-49	62	29	24·2	..	4	..	17	..	1	36	30·0
Ellichpur	.	25-6-49	34	22	33·8	1	2	..	7	10·7
"	.	2-7-49	34	29	44·5	8	14	21·5

Explanation of symbols used:—

B=Births ; B.R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague ; F=Fever ; D.D.=Dysentery and Diarrhoea , R. D.=Respiratory diseases ; D.R.=Death rate.

REMARKS

The figures of births and deaths shown in this statement for the week ending the 16th July, 1949 relate to 171 towns with an estimated population of 22,680 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 80% of the total number of towns representing 87% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,230 and 8,227 representing birth and death rates of 30·3 and 18·9 per thousand of the population respectively.

(A) *Indian Provinces*.—The data here relate to 159 towns with an estimated population of 21,181 thousands. The total number of towns is 189 and their population is 23,320 thousands. Thus 84% of the total number of towns representing 91% of the total population is covered. The number of births and deaths recorded in these towns were 12,386 and 7,800 representing birth and death rates of 30·4 and 19·1 per thousand.

and of the population respectively. The table at the end gives the position by provinces. Malegaon in Bombay Province was the only town which had a high death rate of 53·3 per thousand of the population. In the town there were a fair large number of deaths from fever and dysentery & diarrhoea in addition to deaths from cholera.

(B) *Unions and States*.—The data here relate to towns with an estimated population of 1,499 thousand. The total number of towns is 24 and their population 2,623 thousands. Thus 50% of the total number of towns representing 57% of the total population is covered. The number of births and deaths recorded in these towns were 844 and 427 representing birth and death rates of 29·3 & 14·8 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand the population.

Provinces	Current w/e 16-7-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D.
Madras	43·1	26·8	50·2	23·3	38·5	22
Bombay	33·6	20·3	31·2	20·1	28·1	22
Bengal, West	13·5	12·2	12·5	13·5	10·6	12
U. P.	32·0	22·6	33·9	19·0	32·1	24
Punjab, East	23·9	9·5	12·5	9·6	29·8	18
C. P.	33·5	18·1	31·6	20·9	33·5	20
Orissa	41·2	27·5	42·0	23·4	37·5	30
Ajmer-Morwara	27·7	12·0	27·4	18·5	37·4	22
Delhi	40·4	12·9	20·7	13·8	35·6	1
Indian Provinces	30·4	19·1	28·0	17·8	29·4	20

NEW DELHI 3 (INDIA); }
On 13th August, 1949. }

S. P. JAIN,

for Registrar General, India.